



FEEL THE SW DIFFERENCE®

# DESIGNED TO ENHANCE WORKER PERFORMANCE.

## PowerForm®

**PF-95BL**

POWDER-FREE ECOTEK SUSTAINABLE  
NITRILE EXAMINATION GLOVES WITH DRY CORE\*


**KEEP HANDS COOLER AND MORE COMFORTABLE WITH PREMIUM EXAM QUALITY NITRILE GLOVES, FEATURING UNIQUE DRY CORE MOISTURE MANAGEMENT TECHNOLOGY.**

- Dry Core® Moisture Management Technology pulls sweat away from the skin
- EcoTek® Sustainable Technology\*
- Silicone-free for critical environments





ANSI Level 3  
Abrasion  
Protection

Fully textured  
surface for wet  
and dry grip

Tear-resistant  
beaded cuff for  
easy donning



**PF** **PF-95BL**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 8.5g (large size)	 9.5"	 6.1 mil	Dry Core® EcoTek®	 BLUE

**ECOTEK**



SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2025 SW. All rights reserved.



# TECHNICAL DATA



## PF-95BL POWDER-FREE ECOTEK SUSTAINABLE NITRILE EXAMINATION GLOVES WITH DRY CORE\*



### PRODUCT DESCRIPTION

#### SPECIFICATIONS

<b>PRODUCT</b>	PowerForm®		
<b>GRADE</b>	Powder-Free Exam		
<b>MATERIAL</b>	Nitrile		
<b>THICKNESS</b>	<b>FINGER</b>	6.9mil	0.18mm
	<b>PALM</b>	6.1mil	0.16mm
	<b>CUFF</b>	5.1mil	0.13mm
<b>COLOR</b>	<b>OUTER</b>	Blue	
	<b>INNER</b>	White	
<b>SURFACE</b>	<b>OUTER</b>	Fully Textured	
	<b>INNER</b>	Dry Core®	
<b>LENGTH</b>	9.5"	242mm	
<b>WEIGHT</b>	8.5g		
<b>FIT TYPE</b>	Ambidextrous		
<b>CUFF TYPE</b>	Beaded		
<b>WATERTIGHT AQL</b>	1.5		
<b>ORIGIN COUNTRY</b>	China/Malaysia		

#### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
<b>TENSILE STRENGTH:</b>	20 MPa	19 MPa
<b>ELONGATION:</b>	560%	550%

#### INTEGRATED TECHNOLOGIES

**DRY CORE** Moisture Management Technology: Absorbent lining wicks away moisture for added comfort in extended use.

**ECOTEK Sustainable Technology:** Product has been tested per ASTM D5526\*



\* Specifications based on size Large glove

### STANDARDS & CERTIFICATIONS

EN ISO 21420:2020  
EN 455-2000-2015  
ASTM D6319-19  
ASTM F1671-13  
ASTM F739-12  
Reach EU 1907/2006  
EU 2016/425

ANSI/ISEA 105-2016  
CAT III Complex Design  
FDA 21 CFR 177.2600



Please visit [swwglobal.com/symbols](http://swwglobal.com/symbols) for information on standards used on this document.

### ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N106551	XS 5½ – 6	3.0" 76mm	50 gloves per box 10 boxes per case
N106552	S 6½ – 7	3.4" 87mm	50 gloves per box 10 boxes per case
N106553	M 7½ – 8	3.8" 97mm	50 gloves per box 10 boxes per case
N106554	L 8½ – 9	4.3" 109mm	50 gloves per box 10 boxes per case
N106555	XL 9½ – 10	4.5" 114mm	50 gloves per box 10 boxes per case
N106556	2XL 10½ – 11	4.9" 125mm	50 gloves per box 10 boxes per case

### TECHNOLOGY PATENT

US-8499363B2, US-8752215B2, US-10251435B1, US 12,201,172 B2

Multiple U.S. and other patents pending

### APPLICATIONS

- For Medical Use
- Chemical Handling
- Clinical
- Laboratory
- Liquid Handling
- Pharma Production

Keep out of sunlight. Store in a cool, dry place. Keep away from sources of ozone or ignition.



R\_N10655X0225



SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2025 SW. All rights reserved.



\*EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to [cs@swwglobal.com](mailto:cs@swwglobal.com).