



FEEL THE SW DIFFERENCE[®]

COMFORT AND DEXTERITY FOR EVERYDAY HAND PROTECTION.



TF-12LG

POWDER-FREE NITRILE EXTENDED-CUFF EXAMINATION GLOVES WITH SUSTAINABLE ECOTEK TECHNOLOGY

TACTILE SENSITIVITY AND GRIP WITH AN EXTENDED CUFF FOR ADDED PROTECTION TO WORK IN COMFORT AND CONFIDENCE

- EcoTek[®] Sustainability Technology accelerates landfill breakdown without any performance loss*
- Tested for use with chemotherapy drugs
- Exceeds 1.5 AQL laboratory standards
- Extended-cuff for additional protection
- Tear-resistant beaded cuff eases donning
- SHA Dermatologically Approved


TF		TF-12LG			EcoTek
WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR	
7.5g (large size)	12.0"	4.9 mil	Clean Washed Air Inspected	LIGHT GREEN	



Optimal thickness for durability and tactile sensitivity

Extended cuff provides added protection

Tear-resistant beaded cuff for easy donning



SW[®]
 33278 Central Avenue, Unit 102, Union City, CA 94587, USA
 Tel: +1.510.429.8692 | Fax: +1.510.487.5347
 Trademarks and registered trademarks are the property of SW and its affiliates.
 ©2023 SW. All rights reserved.




TECHNICAL DATA



TF-12LG

POWDER-FREE NITRILE EXTENDED-CUFF
EXAMINATION GLOVES WITH SUSTAINABLE ECOTEK
TECHNOLOGY



PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	TrueForm®
GRADE	Powder-Free Exam
MATERIAL	Nitrile
THICKNESS FINGER	5.9mil 0.15mm
PALM	4.9mil 0.12mm
CUFF	3.6mil 0.09mm
COLOR	Light Green
SURFACE	Fully Textured
LENGTH	12" 305mm
WEIGHT	7.5g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	China

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	21 MPA	19 MPA
ELONGATION:	580%	550%

INTEGRATED TECHNOLOGIES

ECOTEK Sustainability Technology: 92.6% waste reduction in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.*


100% Air Inspected
Clean Washed

* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN ISO 21420:2020
EN 455-2000-2015
ASTM D6319-19
ASTM D6978-05 (2019)
ASTM F1671-13
ASTM F739-12
Reach EU 1907/2006

EU 2016/425
CAT III Complex Design
UL NFPA 1999-2018
FDA 21 CFR 177.2600



Please visit swssglobal.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N027401	XS 5½ – 6	3.1" 78mm	100 gloves per box 10 boxes per case
N027402	S 6½ – 7	3.4" 87mm	100 gloves per box 10 boxes per case
N027403	M 7½ – 8	3.9" 98mm	100 gloves per box 10 boxes per case
N027404	L 8½ – 9	4.2" 108mm	100 gloves per box 10 boxes per case
N027405	XL 9½ – 10	4.5" 114mm	100 gloves per box 10 boxes per case
N027406	2XL 10½ – 11	4.7" 120mm	90 gloves per box 10 boxes per case

APPLICATIONS

- For Medical Use
- Chemical Handling
- Clinical
- Handling and Packaging Class 1
- Medical Devices
- Laboratory
- Light Chemical Mixing
- Pharma Production

Keep out of sunlight. Store in a cool, dry place.
Keep away from sources of ozone or ignition.



R_N02740X0323



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347
Trademarks and registered trademarks are the property of SW and its affiliates.
©2023 SW. All rights reserved.



*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.