



FEEL THE SW DIFFERENCE®

# DURABILITY THAT'S ON CALL FOR THE TOUGHEST OF JOBS.



MM-11BK

POWDER-FREE ECOTEK SUSTAINABLE EXAMINATION GLOVES WITH MOISTURE-WICKING DRITEK TECHNOLOGY

## SWEAT MANAGEMENT AND ANSI LEVEL 3 ABRASION RESISTANCE FOR THE ULTIMATE IN COMFORT AND PERFORMANCE

- DriTek® Comfort Technology with absorbent lining wicks away moisture for all day comfort
- EcoTek® Sustainability Technology accelerates landfill breakdown without any performance loss\*
- ANSI/EN Level 3 abrasion resistance for durability and extended wear
- Fully textured surface for excellent grip
- 1.5 AQL exceeds laboratory standards
- Up to 3x longer lasting than standard nitrile gloves
- SHA Dermatologically Approved
- UL NFPA 1999 Certified



ANSI/EN level 3 abrasion resistance

Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning

**MM** **MM-11BK**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
12.8g (large size)	11"	8.5 mil	DriTek® EcoTek®	BLACK

**ECOTEK**



Feel the difference.™

SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.  
©2023 SW. All rights reserved.



WOMEN OWNED



# TECHNICAL DATA



**MM-11BK**  
 POWDER-FREE ECOTEK SUSTAINABLE  
 EXAMINATION GLOVES WITH MOISTURE-  
 WICKING DRITEK TECHNOLOGY



## PRODUCT DESCRIPTION

### SPECIFICATIONS

PRODUCT	MegaMan®
GRADE	Powder-Free Exam
MATERIAL	Nitrile
THICKNESS	FINGER 10.1mil 0.26mm
	PALM 8.5mil 0.22mm
	CUFF 7.0mil 0.18mm
COLOR	Black
SURFACE	OUTER Fully Textured
	INNER DriTek®
LENGTH	11" 280mm
WEIGHT	12.8g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	China

### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	17 MPa	16 MPa
ELONGATION:	560%	520%

### INTEGRATED TECHNOLOGIES

**DRITEK Comfort Technology:**  
 Advanced flock lining is a powder-free, soft cotton nitrile glove lining that wicks away moisture for added comfort in extended use.


**ECOTEK Sustainability Technology:** 92.6% waste reduction in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.\*  
 100% Air Inspected

\* Specifications based on size Large glove

## STANDARDS & CERTIFICATIONS

EN ISO 21420:2020  
 EN 455-2000-2015  
 ASTM D6319-19  
 ASTM D6978-05 (2019)  
 ASTM F1671-13  
 ASTM F739-12  
 Reach EU 1907/2006

EU 2016/425  
 ANSI/ISEA 105-2016  
 CAT III Complex Design  
 FDA 21 CFR 177.2600



Please visit [swssglobal.com/symbols](http://swssglobal.com/symbols) for information on standards used on this document.

## ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N260881	XS 5½ – 6	3.0" 76mm	50 gloves per box 10 boxes per case
N260882	S 6½ – 7	3.4" 87mm	50 gloves per box 10 boxes per case
N260883	M 7½ – 8	3.8" 97mm	50 gloves per box 10 boxes per case
N260884	L 8½ – 9	4.3" 109mm	50 gloves per box 10 boxes per case
N260885	XL 9½ – 10	4.5" 114mm	50 gloves per box 10 boxes per case
N260886	2XL 10½ – 11	4.9" 125mm	50 gloves per box 10 boxes per case
N260887	3XL 11½ – 12	5.3" 134mm	50 gloves per box 10 boxes per case

## APPLICATIONS

For Medical Use  
 Chemical Handling  
 First Responder EMS

Keep out of sunlight. Store in a cool, dry place.  
 Keep away from sources of ozone or ignition.



R\_N26088X0323



SW®  
 33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
 Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.  
 ©2023 SW. All rights reserved.



\*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.