



FEEL THE SW DIFFERENCE®

DESIGNED TO ENHANCE WORKER PERFORMANCE.

PowerForm®

PF-95OR

POWDER FREE ECOTEK SUSTAINABLE NITRILE EXAM GLOVES WITH TRACTEK

ENGINEERED WITH HIGH DURABILITY, THESE SUSTAINABLE GLOVES PROVIDE EXCEPTIONAL GRIP IN WET AND OILY CONDITIONS*





- TracTek® high density pattern for grip in wet / oily conditions
- EcoTek® Sustainable Technology*
- Hi-Vis orange color
- Beaded cuff allows easy donning and doffing

Hi-Vis orange color

TracTek technology for wet and dry grip

Beaded cuff allows easy donning and doffing



PF		PF-95OR				EcoTek
WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR		
 7.5g (large size)	 9.5"	 5.1 mil	TracTek® EcoTek®	 ORANGE		



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347
Trademarks and registered trademarks are the property of SW and its affiliates.
©2025 SW. All rights reserved.



TECHNICAL DATA



PF-950R

POWDER FREE ECOTEK SUSTAINABLE NITRILE EXAM GLOVES WITH TRACTEK

PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	PowerForm®		
GRADE	Powder-Free Exam		
MATERIAL	Nitrile		
THICKNESS	FINGER	5.9mil	0.15mm
	PALM	5.1mil	0.13mm
	CUFF	4.3mil	0.11mm
COLOR	Orange		
SURFACE	Finger Textured		
LENGTH	9.5"	242mm	
WEIGHT	7.5g		
FIT TYPE	Ambidextrous		
CUFF TYPE	Beaded		
WATERTIGHT AQL	1.5		
ORIGIN COUNTRY	Thailand		

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	14 MPa	14 MPa
ELONGATION:	500%	400%

INTEGRATED TECHNOLOGIES

ECOTEK Sustainable Technology: Product has been tested per ASTM D5526*


TRACTEK Grip Technology: Provides a high-density pattern maximizes grip in wet or oily conditions.



* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN 420:2003
EN 455:2000-2015
EU 2016/425
Reach EU 1907/2006
ANSI/ISEA 105-2016
US/EU Food Contact



Please visit swssglobal.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N991752	S 6½ – 7	3.3" 85mm	100 gloves per box 10 boxes per case
N991753	M 7½ – 8	3.7" 95mm	100 gloves per box 10 boxes per case
N991754	L 8½ – 9	4.3" 108mm	100 gloves per box 10 boxes per case
N991755	XL 9½ – 10	4.5" 114mm	100 gloves per box 10 boxes per case
N991756	2XL 10½ – 11	5.0" 127mm	100 gloves per box 10 boxes per case

TECHNOLOGY PATENTS

US-10993488B2 (TrackTek), US-D816291, US 12,201,172 B2

Multiple U.S. and other patents pending

APPLICATIONS

- For Medical Use
- Chemical Handling
- Liquid Handling

Keep out of sunlight. Store in a cool, dry place. Keep away from sources of ozone or ignition.



R_N90175X0225



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347
Trademarks and registered trademarks are the property of SW and its affiliates.
©2025 SW. All rights reserved.



*EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to cs@swssglobal.com.