



FEEL THE SW  
DIFFERENCE®

# COMFORT AND DEXTERITY FOR EVERYDAY HAND PROTECTION.



TF-95BK

POWDER-FREE NITRILE EXAMINATION GLOVES  
WITH ECOTEK SUSTAINABLE TECHNOLOGY

**DESIGNED FOR FOOD SAFETY, THESE GLOVES  
COMBINES SUSTAINABILITY WITH EXCEPTIONAL  
BARRIER PROTECTION DELIVERING SUPERIOR  
GRIP, DEXTERITY, AND COMFORT FOR CLEAN,  
SAFE HANDLING IN DEMANDING TASKS**

- EcoTek® Sustainable Technology\*
- Silicone-Free – Eliminates risk of contamination in sensitive food processes.
- Exceeds 1.5 AQL Standards – Provides consistent reliability and reduced risk of defects.
- Comfortable Ergonomic Fit – Designed for all-day wear with excellent dexterity and tactile sensitivity.

Finger textured  
surface for wet  
and dry grip

The right weight  
for resiliency and  
dexterity

Tear-resistant  
beaded cuff for  
easy donning



**TF** **TF-95BK**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
3.8g (large size)	9.5"	3.5 mil 2.4 mil	EcoTek®	BLACK

**ECOTEK**



Feel the  
difference.™

SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2025 SW. All rights reserved.



WOMEN  
OWNED



## TECHNICAL DATA



### TF-95BK

POWDER-FREE NITRILE EXAMINATION GLOVES WITH ECOTEK SUSTAINABLE TECHNOLOGY\*

#### POLYCARBIN

THIS GLOVE IS RECYCLABLE THROUGH POLYCARBIN'S LAB RECYCLING PROGRAM.

## PRODUCT DESCRIPTION

### SPECIFICATIONS

PRODUCT	TrueForm®
GRADE	Powder-Free Exam
MATERIAL	Nitrile
THICKNESS FINGER	3.5mil 0.08mm
PALM	2.4mil 0.06mm
CUFF	2.0mil 0.05mm
COLOR	Black
SURFACE	Finger Textured
LENGTH	9.5" 240mm
WEIGHT	3.8g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	Indonesia

### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	14 MPA	14 MPA
ELONGATION:	500%	400%

### INTEGRATED TECHNOLOGIES

ECOTEK Sustainable Technology: Product has been tested per ASTM D5526\*



\* Specifications based on size Large glove

## STANDARDS & CERTIFICATIONS

EN ISO 21420:2020  
EN 455-2000-2015  
ASTM D6319  
Reach EU 1907/2006  
EU 2016/425

EN ISO 374-1:2016/TYPE B



EN ISO 374-5:2016



Please visit [swssglobal.com/symbols](http://swssglobal.com/symbols) for information on standards used on this document.

## ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N191881	XS 5½ – 6	3.0" 75mm	200 gloves per box 10 boxes per case
N191882	S 6½ – 7	3.3" 85mm	200 gloves per box 10 boxes per case
N191883	M 7½ – 8	3.7" 95mm	200 gloves per box 10 boxes per case
N191884	L 8½ – 9	4.1" 105mm	200 gloves per box 10 boxes per case
N191885	XL 9½ – 10	4.5" 115mm	200 gloves per box 10 boxes per case
N191886	2XL 10½ – 11	4.9" 125mm	200 gloves per box 10 boxes per case

## APPLICATIONS

Food Handling  
Food Processing

Keep out of sunlight. Store in a cool, dry place.  
Keep away from sources of ozone or ignition.



R\_N19188X1125



SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347  
Trademarks and registered trademarks are the property of SW and its affiliates.  
©2025 SW. All rights reserved.



\*EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to [cs@swssglobal.com](mailto:cs@swssglobal.com).